



Pfizer Inc. (Wyeth Pharmaceuticals)

P.O. Box 8299

Philadelphia, PA 19101-8299

Ivars Mezgailis

Manager Energy, Environment, & Safety

484-865-9969

ivars.mezgailis@pfizer.com

August 27, 2010

FedEx Certified No. 870695191610

Mr. James Rebarchak
Environmental Program Manager for Air Quality
Pennsylvania Department of Environmental Protection
Southeast Regional Office
2 East Main St.
Norristown, PA 19401

RECEIVED

SEP 01 2010

3AP20

Subject: 40 CFR 63, Subpart ZZZZ
Initial Notification per 40 CFR 63.9(b)(2)
Wyeth Pharmaceuticals, (Pfizer, Inc), Collegeville, PA

Dear Mr. Rebarchak:

The following information is submitted to comply with the above-referenced regulation:

(i) The name and address of the owner or operator:

Wyeth Pharmaceuticals (Pfizer, Inc).
500 Arcola Road
Collegeville, PA 19426

(ii) The address (i.e., physical location) of the affected source:

Same as above.

(iii) An identification of the relevant standard, or other requirement, that is the basis of the notification and the source's compliance date:

This initial notification is being submitted by August 31, 2010 in accordance with 40 CFR 63.6645(a)(2) and 63.9(b)(2). The compliance date for these sources is May 3, 2013 per 40 CFR 63.6595(a)(1).

(iv) A brief description of the nature, size, design, and method of operation of the sources and an identification of the types of emission points within the affected source subject to the relevant standard and types of hazardous air pollutants emitted: *(See Table below)*


Description	Install Date	Mfg. and Model #	Purpose	Fuel	Engine Power Output, bhp	Pollutant Types
EGEN #5	1993	Detroit Diesel #9163-7416	Non-Emergency	Diesel	2,010	NMHC + NOx, HC, CO, PM
EGEN #6	1993	Detroit Diesel #9163-7416	Non-Emergency	Diesel	2,010	NMHC + NOx, HC, CO, PM
EGEN #7	1993	Detroit Diesel #9163-7416	Non-Emergency	Diesel	2,010	NMHC + NOx, HC, CO, PM

(v) A statement of whether the affected source is a major source or an area source:

The Wyeth Pharmaceuticals (Pfizer Inc.) Collegeville, PA source is an area source.

If you have any questions, or need additional information, please feel free to contact me at (484) 865-9969 or Mr. Robert Schlosser of IES Engineers at (610) 828-3078.

Sincerely,


Ivars Mezgailis
Manager Energy,
Environment, & Safety

cc: K. Anderson,
Chief of Permits and Air Toxics Branch (3AP11)
U.S. EPA Mid-Atlantic Region
1650 Arch St.
Philadelphia, PA 19103

A Pospiech
D Binder
A Santiago
R. Schlosser, IES